Captain's Bed Assembly Instructions

If you ordered a headboard you will receive (2) Short Legs and (2) Tall Legs for the Headboard end. First assemble the Short Legs, then assemble the Frame, then assemble the Headboard Legs.

If you didn't order a Headboard you will receive (4) Short Legs, attach them to the rails using the instructions below, then assemble the Frame.




Short Legs Assembly Instructions

Attach the Short Legs to the rails using 2-1/2" screws from inside the bed. The top of the short leg should be level with the top of the Bed Slat Ledge.

Tall Legs Assembly Instructions

After assembling the frame attach the Tall Legs to the Rail with 2-1/2" screws. The Rail will rest on the Ledge that is attached to the Tall Leg.




Frame Assembly

Double Bookshelf Headboard (Optional)

Double Bookshelves are attached near the top of the legs. The shelves have a Backboard to support the weight of the items on the shelf and are required to be installed.

Double Bookshelf Parts List: (2) Shelves (4) Shelf Supports 2x2x5-1/2" Screws: 2-1/2" 1-5/8" 1-1/4".

Following the diagram below, attach (2) 2x2x5-1/2" Shelf Supports 11-1/2" from the top of the legs with 2-1/2" screws. Attach the shelf to the Supports with 1-5/8" screws. Now attach the Shelf Supports 3-1/2" from the top and follow the same procedure. Note: The lower shelf can be attached at any height. The photo below shows the optional safety rails which typically are not used for very low beds.



Install the Backboards to the back of the shelves. Use 1-5/8" screws at the ends when screwing into the Legs and 1-1/4" screws when screwing into the shelf.

